

LI 700 WITH LECI-TECH

SUPERSEDES: 03/07/2018

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

**Product Name** LI 700 WITH LECI-TECH

Other means of identification

**Product Code** ADJ-0002 **Synonyms** None

Registration Number(s) CA Reg. No. 34704-50035 - WA Reg. No. 34704-04007

Recommended use of the chemical and restrictions on use

**Recommended Use** Penetrant. Acidifier. Deposition Aid. Drift Control Agent.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** LOVELAND PRODUCTS, INC. P.O. Box 1286

Greeley, CO 80632-1286

Emergency telephone number

**Company Phone Number** 1-888-LPI-CUST (574-2878) **Emergency Telephone** Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters.

The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation         | Category 1 Sub-category B - (H314) |
|-----------------------------------|------------------------------------|
| Serious eye damage/eye irritation | Category 2A - (H319)               |

#### Label elements



**DANGER** Signal word

H314 - Causes severe skin burns and eye damage **Hazard statements** 

H319 - Causes serious eye irritation

**Precautionary Statements -**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

P264 - Wash hands thoroughly after handling

Precautionary Statements - Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P337 + P313 - If eye irritation persists: Get medical advice/attention

**Precautionary Statements -**

Storage

P405 - Store locked up

**Precautionary Statements -**

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

OSHA Hazard Communication 29 CFR 1910.1200



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice Get medical attention if symptoms occur.

Eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

**Skin contact**Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

**Inhalation** Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor

for treatment advice.

**Ingestion** Call a poison control center or doctor for treatment advice. Have person sip a glass of water

if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

# Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed. Have the product container or label with

you when calling a poison control center or doctor or going for treatment. You may also call

1-866-944-8565 for emergency medical treatment information.

**Note to physicians** No specific antidote. Treat symptomatically.

Antidotes No data available

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire, Use CO2, dry chemical, or foam

### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** 

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Ver la Sección 12 para información ecológica adicional.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal. Clean contaminated

surface thoroughly. Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. After cleaning, flush away traces with water. Soak up with inert absorbent material. Pick up and transfer to

properly labeled containers.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems. Use with local exhaust ventilation. Do not breathe

dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection Dependent on job function. If vapors or dusts exceed acceptable levels, wear a

MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air

respirator if exposure concentrations are unknown.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorBrownOdorPungent

Odor threshold No data available

<u>Property</u> <u>Values (Remarks - Method)</u>

pH 3.6 (1% solution)

Melting point / freezing point No data available

Boiling point No data available

Flash point 100 °C / 212 °F (Tag Closed Cup)

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Specific Gravity
Water solubility

No data available
No data available
No data available
1.035 g/ml
Soluble

Solubility in other solvents No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available No data available Dynamic viscosity No data available **Explosive properties** No data available **Oxidizing properties** 

#### Other Information

VOC Content (%) No data available

Density 1.035g/ml

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

10. STABILITY AND REACTIVITY

SUPERSEDES: 03/07/2018

# Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

# 11. TOXICOLOGICAL INFORMATION

Acute toxicity of the formulated product:

 Oral LD50
 5005 mg/kg

 Dermal LD50
 5005 mg/kg

 Inhalation (Dust) LC50
 6.04 mg/l

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye irritation Causes serious eye irritation.

**Sensitization** Not a skin sensitizer.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

**Target Organ Effects** Eye damage/irritation, Respiratory system, Skin.

Aspiration hazard No information available.

# Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** Causes irreversible eye damage.

**Skin contact** Severe irritant. Causes skin burns.

**Ingestion** No data available.

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

# Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

Other adverse effects No information available



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/.

Do not contaminate water, food or feed by storage or disposal.

**Contaminated packaging** Do not reuse container.

# 14. TRANSPORT INFORMATION

DOT

UN/ID no Not regulated Proper shipping name Not regulated

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS

(NMFC 4610; CLASS: 60)



LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

# 15. REGULATORY INFORMATION

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Severe

# **US Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name             | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|---------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| PROPIONIC ACID<br>79-09-4 | 5000 lb                        | -                      | -                         | Х                             |

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name  | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------|--------------------------|----------------|--------------------------|
| PROPIONIC ACID | 5000 lb                  | -              | RQ 5000 lb final RQ      |
| 79-09-4        |                          |                | RQ 2270 kg final RQ      |

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# U.S. EPA Label Information



LI 700 WITH LECI-TECH

SUPERSEDES: 03/07/2018

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

**16. OTHER INFORMATION** 

Prepared By Registrations and Regulatory Affairs

Reviewed By Safety, Health and Environment

 Issue Date
 05/22/2018

 Revision Date
 05/22/2018

**Revision Note** 

16 SDS sections updated

LI 700 WITH LECI-TECH is a registered trademark of Loveland Products, Inc.

#### **Disclaimer**

This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

**End of Safety Data Sheet**